Package: dhlawrencer (via r-universe)

August 27, 2024

Title An R Package for D. H. Lawrence's Novels

Version 0.1.1
Author Matthew Henderson
Maintainer Matthew Henderson <matthew.james.henderson@gmail.com></matthew.james.henderson@gmail.com>
Description This package provides access to the full texts of 6 of D. H. Lawrence's novels.
Depends R (>= $3.2.0$)
License MIT + file LICENSE
Imports dplyr
Encoding UTF-8
LazyData true
RoxygenNote 7.3.1
Repository https://mhenderson.r-universe.dev
RemoteUrl https://github.com/MHenderson/dhlawrencer
RemoteRef v0.1.1
RemoteSha 81213cd9e3f27a8ac450f0bcdc722b40695a12a2
Contents
aaronsrod 2 dhlawrencer 2 lawrence_books 2 lostgirl 3 peacock 3 rainbow 4 sonsandlovers 4 womeninlove 5
Index

2 lawrence_books

aaronsrod

The text of D. H. Lawrence's novel "Aaron's Rod"

Description

A dataset containing the text of D. H. Lawrence's 1922 novel "Aaron's Rod". The UTF-8 plain text was sourced from Project Gutenberg and is divided into elements of up to about 70 characters each. (Some elements are blank.)

Usage

aaronsrod

Format

A character vector with 13402 elements

Source

http://www.gutenberg.org/ebooks/4520

dhlawrencer

D. H. Lawrence's Novels

Description

This package contains the complete text of D. H. Lawrence's novels.

lawrence_books

Tidy data frame of 6 of D. H. Lawrence's novels

Description

Returns a tidy data frame of 6 of D. H. Lawrence's completed, published novels with two columns: text, which contains the text of the novels divided into elements of up to about 70 characters each, and book, which contains the titles of the novels as a factor in order of publication.

Usage

lawrence_books()

Value

A data frame with two columns: text and book

lostgirl 3

Examples

```
library(dplyr)
lawrence_books() %>% group_by(book) %>%
    summarise(total_lines = n())
```

lostgirl

The text of D. H. Lawrence's novel "The Lost Girl"

Description

A dataset containing the text of D. H. Lawrence's 1920 novel "The Lost Girl". The UTF-8 plain text was sourced from Project Gutenberg and is divided into elements of up to about 70 characters each. (Some elements are blank.)

Usage

lostgirl

Format

A character vector with 15742 elements

Source

http://www.gutenberg.org/ebooks/23727

peacock

The text of D. H. Lawrence's novel "The White Peacock"

Description

A dataset containing the text of D. H. Lawrence's 1911 novel "The White Peacock". The UTF-8 plain text was sourced from Project Gutenberg and is divided into elements of up to about 70 characters each. (Some elements are blank.)

Usage

peacock

Format

A character vector with 14626 elements

Source

http://www.gutenberg.org/ebooks/38561

4 sonsandlovers

rainbow

The text of D. H. Lawrence's novel "The Rainbow"

Description

A dataset containing the text of D. H. Lawrence's 1915 novel "The Rainbow". The UTF-8 plain text was sourced from Project Gutenberg and is divided into elements of up to about 70 characters each. (Some elements are blank.)

Usage

rainbow

Format

A character vector with 20962 elements

Source

http://www.gutenberg.org/ebooks/28948

sonsandlovers

The text of D. H. Lawrence's novel "Sons and Lovers"

Description

A dataset containing the text of D. H. Lawrence's novel "Sons and Lovers" published in 1913. The UTF-8 plain text was sourced from Project Gutenberg and is divided into elements of up to about 70 characters each. (Some elements are blank.)

Usage

sonsandlovers

Format

A character vector with 18214 elements

Source

http://www.gutenberg.org/ebooks/217

womeninlove 5

womeninlove

The text of D. H. Lawrence's novel "Women in Love"

Description

A dataset containing the text of D. H. Lawrence's novel "Women in Love", published in 1920. The UTF-8 plain text was sourced from Project Gutenberg and is divided into elements of up to about 70 characters each. (Some elements are blank.)

Usage

womeninlove

Format

A character vector with 20157 elements

Source

http://www.gutenberg.org/ebooks/4240

Index

```
\ast datasets
    aaronsrod, 2
    lostgirl, 3
    peacock, 3
    rainbow, 4
    \verb|sonsandlovers|, 4
    womeninlove, 5
aaronsrod, 2
dhlawrencer, 2
dhlawrencer-package (dhlawrencer), 2
{\tt lawrence\_books, 2}
{\tt lostgirl}, {\tt 3}
peacock, 3
rainbow, 4
sonsandlovers, 4
```