

Package: pages2df (via r-universe)

September 16, 2026

Title Read Morning Pages Into a Data Frame
Version 0.1.0
Description Read folder of journal-entry files organised by year and month into a data frame.
License MIT + file LICENSE
Encoding UTF-8
Roxygen list(markdown = TRUE)
RoxygenNote 7.3.2
Imports dplyr, llinyn, lubridate, purrr, readr, tibble
Config/pak/sysreqs libicu-dev libx11-dev
Repository <https://mhenderson.r-universe.dev>
Date/Publication 2024-09-16 13:11:43 UTC
RemoteUrl <https://github.com/MHenderson/pages2df>
RemoteRef HEAD
RemoteSha 2b803ba525925bc0632fe5500eaeab18de1b4505

Contents

create_chapter_df	2
pages_df	2
summarise_chapter_df	3
Index	4

create_chapter_df	<i>Augment a Pages Data Frame with LaTeX-friendly Text</i>
-------------------	--

Description

Augment a Pages Data Frame with LaTeX-friendly Text

Usage

```
create_chapter_df(pages)
```

Arguments

pages	A data frame containing a column of 'text' and dates 'ymd'.
-------	---

Value

A data frame of pages with new columns, tex and tex_w_heading containing the same data as the text column but chopped into strings of a near fixed length (without breaking words), with some special LaTeX characters escaped and, in the case of tex_w_heading with a pre-pended section heading containing date and time information.

pages_df	<i>Read Morning Pages from Disk</i>
----------	-------------------------------------

Description

Read Morning Pages from Disk

Usage

```
pages_df(pagespath)

read_pages(pagespath, years = c(2021))
```

Arguments

pagespath	Path to morning pages.
years	Years to filter.

Value

A data frame with columns ymd and text.

summarise_chapter_df	<i>Summarise Chapters</i>
----------------------	---------------------------

Description

Summarise Chapters

Usage

summarise_chapter_df(pages)
create_chapters(pages)

Arguments

pages A data frame of pages.

Value

A data frame of chapters.

Index

`create_chapter_df`, [2](#)
`create_chapters (summarise_chapter_df)`,
 [3](#)
`pages_df`, [2](#)
`read_pages (pages_df)`, [2](#)
`summarise_chapter_df`, [3](#)